

### PLAN REVIEW APPLICATION

OFFICE USE ONLY
Date Rec'd:
Fee Paid:
Invoice #:
Staff Reviewer:
Application #:

	Application #:			
APPLICANT INFORMATION				
Project Name:				
Owner:	Phone:			
Email:	Mailing Address:			
Representative:	Phone:			
Email:	Mailing Address:			
Engineer:	Phone:			
Email:	Mailing Address:			
Architect:	Phone:			
Email:	Mailing Address:			
Site Location:	Parcel #:			
Legal description must be provided in a Word d	ocument.			
SUBDIVISION INFORMATION (Presented to	Planning + Zoning and City Council) (10-347-133)			
Subdivision Area (Acreage):	☐ Residential: ☐ Commercial:			
Current Zone:	☐ Requested Zone:			
□ Preliminary Plat: \$800	☐ Final Plat: \$500			
□ Plat Amendment: \$575				
$\square$ PUD: Fee based on cost of reviewing and pro	cessing the PUD application			
<b>DEVELOPMENT AND SITE PLAN REVIEW</b>	(3 reviews included in fee) (10-347-132)			
$\square$ Site Plan Review: 123 Commercial \$450 1	2 3 Multi-Family \$400 1 2 3 Residential \$400			
$\square$ Pre-Application Review $150 + 150/hour$ af	ter initial hour			
□ Standard Development Agreement: \$1,100	☐ Conditional Rezone Agreement: \$1,100			
□ Development Agreement Amendment: \$540	(10-347-135)			
☐ Improvement Drawings and Utilities Review:	<b>\$500</b> (10-347-136)			
☐ Subdivision Acceptance Review: \$400 (10-34)	7-138)			
□ Flood Plain Project Review: \$775 (10-347-115)	☐ Additional Reviews: \$150			
CHANGES/AMENDMENTS/ANNEXATIONS (Require Noticing) (10-347-135)				
□ Comprehensive Plan Change: \$785	☐ Zoning Code Revision: \$550			
□ Zone Change Request: \$550	☐ Residential Annexation: \$1,200			
☐ Annexation over ten (10) acres: \$2,400	☐ Commercial Annexation: \$1,200			
NOTICING				
☐ Admin/Publication: \$325 (10-347-117)	☐ Mailing: \$2.75 per mailed piece (10-347-110)			
OTHER PERMITS/APPLICATIONS (10-347	-134)			
□ Design Review: \$400	☐ Sign: \$100			
□ Conditional Use Permit: \$500	□ Variance: \$400			
□ Appeal: \$150	□ Vacation: \$675			
□ Zoning Verification Request: \$125	☐ Lighting District: \$1,100			

### PLAN REVIEW APPLICATION CERTIFICATE OF COMPLETENESS

	Name:	Received on:	
Reviewed by:		Date:	
СОМРІ	ETED APPLICATION SHALL CONTAIN (Check	all that apply):	
	Completed Plan Review Application Form		
	Legal Description of location in a Word doc	ument	
	All fees for current application		
	Description of project in 300 words or less		
	A copy of all property owners' deeds to ensure ownership		
	<ul> <li>If property is owned by a joint vent</li> </ul>	ture, partnership, corporation, trust, limited liability	
	company or other recognized entity	y, the applicant must provide a corporate resolution	
	or other documentation authorizin	g the land use request and that the person signing	
	the application has the authority to	execute documents on behalf of the entity.	
	Documentation of legal interest in the prop	perty if applicant is not the property owner	
	Plans prepared by Licensed Idaho Engineer	(if applicable)	
	Preliminary Plat pursuant to City Ordinance	e 10-29-8 (see attached)	
	Final Plat pursuant to City Ordinance 10-29	-9 (see attached)	
	Site Plan Requirements pursuant to 10-29-2	15 (see attached)	
	Conditional Use Permit pursuant to 10-27-3	3 – Public Hearing Required	
	Planned Unit Development (PUD) pursuant Final Plat will be required	to 10-27-4 - Public Hearing Required, Preliminary an	
	Comprehensive Plan Change pursuant to 10	0-4 – Public Hearing Required	
	Zoning Code Revision 10-4 Public Hearing R	Required	
	Zone Change Request 10-4 Public Hearing F	Required	
	Residential Annexation 10-4-4 Idaho State (	Code 50-222	
	Commercial Annexation 10-4-4 Idaho State	Code 50-222	
	Annexation applications must provide a ma	p that meets the standards of the Idaho State Tax	
	Commission		
	Amended Plats pursuant to 10-29-13		
	REQUIRED	SIGNATURES	
	negomes		
Applica	nt's Signature		

Property Owner's Signature (if different than applicant, add additional lines as needed)

## CITY OF AMMON PRELIMINARY PLAT SUBMISSION REQUIREMENTS

The following list must be complete BEFORE a meeting date will be assigned: (deadline for submission is 10 days prior to the scheduled meeting). Some preliminary plats require a public hearing prior to approval. Check with the Planning and Zoning Department prior to making submissions.

HARDCOPY FORM:
☐ Plan Review Application
☐ Letter of request for action should include a description of the project in 300 words (or less). This must be signed by the property owner or by a firm stating they are representing the owner of record.
<ul> <li>Proof of Property Ownership – Warranty Deed or County Issued Parcel Information</li> </ul>
$\square$ 1- 24" X 36" preliminary plat layout (paper)
Preliminary plat must comply with section 10-29-8 of Title X, City of Ammon Codified Ordinances. This section is available online at <a href="https://www.cityofammon.us">www.cityofammon.us</a>
ELECTRONIC FORM:
☐ Plan Review Application
<ul> <li>Proof of Property Ownership – Warranty Deed or County Issued Parcel Information</li> </ul>
<ul> <li>Letter of request for action on the preliminary plat.</li> </ul>
☐ Legal description of property (must be a <b>word document</b> ).
☐ Preliminary plat layout subject to 10-29-8.

Incomplete submissions may be rejected until complete documentation is received.

10-29-8: PRELIMINARY PLAT REQUIREMENTS: In seeking to subdivide land into building lots and to dedicate streets, alleys or other land for public use there shall be one scaled drawing submitted to the Planning and Zoning Director a minimum of 24" X 36" in an electronic format (pdf). The preliminary plat shall be submitted at least ten (10) days before a Planning Commission meeting date. The Planning Commission shall review the application within ten (10) days from the first meeting at which the plan was formally presented unless an extension of time is agreed to by the subdivider. Prior to making a decision on the proposed preliminary plat the Planning Commission shall determine if a public hearing should be required for the proposed preliminary plat request. If the Planning Commission determines a hearing should be held, there shall be a hearing scheduled for the next available hearing date before the Planning Commission. Final approval of preliminary plats shall be by the City Council.

Any preliminary plat containing more than three (3) lots shall be submitted to the Planning Director at least fifteen (15) days prior to the deadline for submission of such plat to the Planning and Zoning Commission. The Planning Director shall submit the drawing for review by the City Engineer, Fire Chief, Building Official and Planning Director. Said review shall provide the developer with any issues needing to be addressed prior to a submission to the Planning Commission. Changes required by the staff review shall be reflected on the submitted preliminary plat.

The preliminary plat so prepared by the subdivider and formally filed with the Planning Director shall contain the following information.

- (A) The proposed name of the subdivision.
- (B) The location of the subdivision as forming a part of some larger tract or parcel of land referred to in the records of the County Recorder.
- (C) A vicinity map showing a radius of one-half (1/2) mile around the proposed development shall be provided. All existing roadways shall be shown, with names on the vicinity map.
- (D) A contour map at appropriate contour intervals to show the general topography of the tract.
- (E) The boundary lines of the tract to be subdivided shall be accurate in scale and bearing. These lines should be slightly heavier than street and lot lines.
- (F) The location, widths, names and other dimensions of all existing or platted streets shall be shown on the preliminary plat. In addition, important features within one hundred (100) feet and contiguous to the tract to be subdivided and recorded as a legal document shall be shown on the preliminary plat. Examples of those features include but are not limited to railroad lines, water courses, easements and exceptional topography.
- (G) The approximate location of all existing or proposed utilities, including, but not limited to, sanitary sewers, storm drains, water supply mains, fire hydrants, streetlights, bridges, ditches and culverts within the tract and immediately adjacent thereto; and if applicable the interconnection of such systems with the major street plan and City storm drainage system.

- (H) The location, names, widths, and other dimensions of proposed streets, alleys, easements, parks, lots, and other open spaces.
- (I) All parcels of land intended to be dedicated for public use or reserved for the use of all property owners with the purpose indicated.
- (J) North point, scales, and dates.
- (K) Zoning for the subdivision shall be indicated. If more than one zone exists within the subdivision, individual lots should include the zone.
- (L) The following items shall be printed on the preliminary plat:
  - 1. Density of subdivision in living units
  - 2. Number of lots within the division
  - 3. Average size of lots within the division
  - 4. Total size of plat (in acres)
  - 5. A signature line showing approval date shall be provided for the Planning Director and City Engineer.
- (M) Mitigation of the impact of development on public facilities should be considered at this stage. Recommendations from staff and the Planning and Zoning Commission shall be directed to the City Council for consideration.
  - 1. Written record of staff and the Planning and Zoning Commission recommendations for mitigation shall be included in the staff presentation to the City Council for each preliminary plat presentation.
  - 2. Written record of the decision and motion of the City Council requirements for mitigation shall be incorporated into an annexation or standard development agreement prior to the final platting stage of said development.
- (N) Appropriate details for any special development areas in the proposed plat, including, but not limited to, hillside and floodplain developments.
- (O) All off-site improvements required to service the development.
- (P) Prior to the signage of any preliminary plat a standard development agreement shall be submitted and approved by the City Council. The standard development agreement must be recorded within 30 days of its' approval by the City Council. The agreement shall benefit the interests of the city, the county, or the state of Idaho.
  - The standard development agreement shall contain language to include any mitigation requirements as determined by the City Council at the Preliminary and Final Plat stage.

- 2. The standard development agreement shall contain language to include any mitigation requirements as determined by the City Council at the annexation stage of development.
- (Q) The following items shall accompany the preliminary plat application:

Prior to City Council Approval:

- Copies and signatures showing the ability to provide sewer services by Eastern Idaho Regional Sewer District (EIRSD) or Iona Bonneville Sewer District (IBSD), when required by the servicing agency.
- 2. Preliminary Plat and improvement drawings submitted in digital form.
- (R) Inspection of Public Improvements Under Construction:
  - 1. Before approval of a preliminary plat, and before construction plans, and specifications for public improvements, an agreement shall be made in writing between the developer and the City to provide for inspecting the construction and its conformity to the submitted plans.
  - 2. Prior to construction of public improvements, a pre-construction meeting shall be held with the appropriate City of Ammon departments' staff, the project engineer and the contractor or the contractor's designated representative.

The preliminary plat shall be drawn to a scale not smaller than one (1) inch to one hundred (100) feet. Such approval of the preliminary plat shall be valid for a period of one (1) calendar year only.

# CITY OF AMMON FINAL PLAT SUBMISSION REQUIREMENTS

The following list must be complete BEFORE a meeting date will be assigned: (deadline for submission is 10 days prior to the scheduled meeting).

Incomplete submissions may be rejected until complete documentation is received.

**10-29-9:** REQUIREMENTS OF THE FINAL PLAT: The final plat must be submitted to the Planning Commission for final review within one (1) year after the approval of the preliminary plat, and no plat shall be recorded or offered for record nor shall any land be recorded or offered for sale with reference to such plat until said plat has been duly approved as indicated in Section 10-29-3 of this chapter.

The final plat must be submitted to the Planning Commission for final review within (1) year after the approval of the preliminary plat. Otherwise, such approval shall become null and void and no plat shall be recorded or offered for record nor shall any land be recorded or offered for sale with reference to such plat, unless the subdivider, ninety (90) days prior to said expiration date, applies for an extension of time and such extension is granted by the City. A maximum twelve-month extension may be granted by the City at its sole discretion.

- (A) The application shall be filed with the city and shall include:
  - 1. A viable and acceptable plan which demonstrates how recordation of the final plan will occur within the year.
  - 2. A schedule that depicts the anticipated progress for completion of the final plat within the year.
  - 3. An application fee will be charged based on the current Fee Resolution for the review of the proposed subdivision.

The Planning Commission must review the final plat. The final plat shall be submitted at least ten (10) days before a Planning Commission meeting date. The Planning Commission shall review the application within ten (10) days from the first meeting at which the plan was formally presented unless an extension of time is agreed to by the subdivider.

Final approval of the plat shall be secured from the City Council; otherwise, the subdivider will be duly notified of its rejection by said body. The final plat must be recorded within six (6) months of approval by the City Council, or it shall expire.

The plat sheet must be prepared in accordance with the Idaho Code.

After approval of the Planning and Zoning Commission and City Council; two (2) mylar prints and one (1) paper print, shall be submitted to the Planning Department for final City staff review and approval. If approved, the prints shall have endorsed thereon the required approvals of all public agencies and property owners. Upon final approval the City Clerk shall submit the drawings to the County Recorder and return the prints for the City to the Planning Director and the County Recorder shall have attested the content on the print for the City to be the same that has been recorded with the County. Payment for all recordings shall be made to the City Clerk in care of Bonneville County Recorder.

#### Plats must meet the requirements of Idaho Statute 50-1304.

The following information shall be contained upon the drawing to be filed with the City Engineer:

- (B) The name and general location of the subdivision in bold letters at the top of the sheet. The name of the subdivision must not bear the name of any other town or addition in the County.
- C) The north point and scale of the plat.
- (D) The boundaries must be accurately drawn, showing the proper bearings and dimensions of all boundary lines of the subdivision. These lines should be slightly heavier than street and lot lines.
- (E) The names, widths, lengths, bearings, and curve data on center lines of proposed streets, alleys, and easements desired or necessary; also, the boundaries, bearings, and dimensions of all portions within the subdivision as intended to be dedicated to the use of the public. The sizes, lines, dimensions, bearings, and number of all lots, blocks, and/or parts reserved for any reason within the subdivision.
- (F) The widths and names of abutting streets and alleys, and the names and boundaries of all subdivisions which have been previously recorded and adjacent thereto, must be shown upon the plat offered for record. These adjacent subdivisions will be shown in dotted lines to show their relationship to the plat offered for record. If adjoining land is unplatted, it should be indicated as such.
- (G) All linear dimensions shall be calculated to the nearest one-hundredth (.01) of a foot, and all bearings shall be calculated to the nearest ten (10) seconds of arc, except on the boundaries where the bearings may be shown to the nearest one (1) second. All curves shall be defined by the radius, central angel, tangent, arc, and chord distances. The description and location of all monuments shall be shown. Monuments of iron pipe, stone, or concrete shall be set at tangent points or points of curves of street intersections on property lines, at alley intersections and at such other points as may be necessary to make the retracing of the lines as shown on the final plat reasonably convenient. No plat showing a plus or minus distance will be accepted unless agreed to by the Engineer.
- (H) A definite tie between not less than two (2) prominent points shall be shown between the exterior boundary of the subdivision and the section corner and quarter corner system of the County as established by the United States Government and supplemented by the County, indicated either by bearing and distance or by rectangular coordinates. The said tie may be made to a line of a county plat, or a plat of a neighboring subdivision, which conforms to the above requirement.
- (I) All lots shall be numbered by progressive numbers in each block separately; blocks shall also be numbered.
- (J) Upon the print must appear the following required signatures: Registered Professional Engineer and/or Land Surveyor's "Certificate of Survey"; owner's dedication certificate with notary public's acknowledgment; the approval of the Mayor attested by the Clerk; and the City Engineer.
- (K) The following items shall be printed on the final plat:

- 1. Density of subdivision in living units
- 2. Number of lots within the division
- 3. Average size of lots within the division
- 4. Total size of plat (in acres)
- 5. Zoning for the subdivision shall be indicated. If more than one zone exists within the subdivision, individual lots should include the zone.
- 6. A vicinity map showing a radius of one-half (1/2) mile around the proposed development. All existing roadways shall be shown with names on the vicinity map.
- (L) Appropriate details for any special development areas, including, but not limited to, hillside and floodplain developments.
- (M) The following items shall accompany the final plat application:

Prior to City Council Approval:

 Copies of any private restrictions proposed to be recorded for the purpose of providing regulations governing the use, building lines, open spaces, or other aspects of development and use.

All dimensions, both linear and angular are to be staked in the field by an accurate control survey which must balance and close within a limit of one (1) in ten thousand (10,000).

The final print of the final plat shall be signed separately by all parties duly authorized and required to sign.

- (N) Prior to the approval of any final plat, the subdivider shall:
  - 1. Provide the necessary documentation to show that all required improvements, infrastructure, public improvements, and public utilities have been installed and conditions of approval have been met and inspected and approved by the city.
  - 2. Pay all required fees.

### CITY OF AMMON SITE PLAN SUBMISSION REQUIREMENTS

All site plans shall be drawn to include the required signature lines and legends approved by the City of Ammon. Templates are available upon request to the City Planner. Deadline for submission is five (5) days prior to the scheduled meeting. All site plans shall include the following:

All commercial site plans shall be stamped by a professional engineer (PE).
Submit an electronic PDF printable size 24" x 36" for review. Email: <a href="mailto:cdonovan@cityofammon.us">cdonovan@cityofammon.us</a>
Street names.
Legal description and Address of the proposed building site. Contact 208-612-4029 for addresses.
North arrow.
Scale of drawing $(1" = 100")$ or $1" = 20"$ for legibility).
Street and alley right-of-way
Utility easements.
Building dimensions.
Distances from building to rights-of-way, easements and lot lines.
Existing and proposed public improvements. Show all utilities and services including size. If none required, state on site plan.
Landscaping layout with dimensions. Owner is responsible for retaining on-site storm water.
Parking area layout with dimensions.
Existing and proposed access points.
Storm drainage from the roof and parking lot areas.
Garbage dumpster location. Must be designed enclosure minimum size as follows:
• Single Dumpster – 12'W X 12'D, Two Dumpster – 20'W X 12'D (inside dimensions).
All existing or proposed fire hydrant locations within 1000' of development or distance in feet to nearest
hydrant. All new hydrants must be factory painted RED and include a STORZ connection (Kochek Co.,
Inc Model #SZMC5045-3-Y).
Existing and proposed public and private signs.
Building construction type (IBC) and total square footage.
Type of use to occupy building.
Vicinity map showing location of property in relationship to adjacent properties.
Location of water meter in building mechanical room.
Size of water supply to building.
FDC (Fire Department Connection) for fire sprinklers (where applicable)
Fiber Duct shall be shown from the boundary of the property up to the connection point of the building
<ul> <li>The City recommends that all builders work directly with the Broadband Department in determining the most efficient and accessible point of connection. Fiber Dept 208-612-4054</li> </ul>
As needed the Bonneville County Sheriff's Department (Ammon Division) shall be included in review for safety issues. IE Parking lot lighting, etc.

As a separate sheet submitted with the site plan shall contain the "Storm Water Pollution Prevention Plan" and Notice of Intent as submitted to EPA.

Site plan will not receive final approval without the SWPPP document.